

Standards Manager Web Standards List
AWWA-American water works association

Id	Number	Title	Year	Organization	Page
1	B303	Sodium Chlorite	2018	AWWA	0
2	B402	Ferrous Sulfate	2018	AWWA	0
3	B300	Hypochlorites	2018	AWWA	0
4	B407	Liquid Ferric Chloride	2018	AWWA	0
5	B408	Liquid Polyaluminum Chloride	2018	AWWA	0
6	B504	Monosodium Phosphate, Anhydrous	2018	AWWA	0
7	B505	Disodium Phosphate, Anhydrous	2018	AWWA	0
8	B506	Zinc Orthophosphate	2018	AWWA	0
9	B510	Carbon Dioxide	2018	AWWA	0
10	B701	Sodium Fluoride Seventh Edition	2018	AWWA	0
11	B702	Sodium Fluorosilicate	2018	AWWA	0
12	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2018	AWWA	0
13	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2018	AWWA	0
14	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	2018	AWWA	0
15	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2018	AWWA	0
16	C519	NULL	2018	AWWA	0
17	C655	Field Dechlorination	2018	AWWA	0
18	C715	NULL	2018	AWWA	0
19	E200	NULL	2018	AWWA	0
20	F120	NULL	2018	AWWA	0
21	G400	Utility Management System	2018	AWWA	0
22	G485	NULL	2018	AWWA	0
23	M19	Emergency Planning for Water Utility Management Fourth Edition	2018	AWWA	0
24	M33	Flowmeters in Water Supply First Edition	2018	AWWA	0
25	M62	NULL	2018	AWWA	0
26	M68	NULL	2017	AWWA	0
27	M32	Distribution Network Analysis for Water Utilities First Edition	2017	AWWA	0
28	M58	Internal Corrosion Control in Water Distribution Systems	2017	AWWA	0
29	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition	2017	AWWA	0
30	M50	Water Resources Planning	2017	AWWA	0
31	M52	Water Conservation Programs--A Planning Manual	2017	AWWA	0
32	M5	Water Utility Management	2017	AWWA	0
33	G520	NULL	2017	AWWA	0
34	M1	Principles of Water Rates, Fees, and Charges Fifth Edition	2017	AWWA	0
35	G420	Communications and Customer Relations	2017	AWWA	0
36	G440	Emergency Preparedness Practices	2017	AWWA	0

37	G100	Water Treatment Plant Operation and Management	2017	AWWA	0
38	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	2017	AWWA	0
39	E102	Submersible Vertical Turbine Pumps	2017	AWWA	0
40	C810	NULL	2017	AWWA	0
41	B200	Sodium Chloride	2017	AWWA	0
42	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2017	AWWA	0
43	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2017	AWWA	0
44	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2017	AWWA	0
45	D102	Coating Steel Water-storage Tanks	2017	AWWA	0
46	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2017	AWWA	0
47	C530	Pilot Operated Control Valves	2017	AWWA	0
48	C550	Protective Interior Coatings for Valves and Hydrants	2017	AWWA	0
49	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2017	AWWA	0
50	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2017	AWWA	0
51	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2017	AWWA	0
52	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2017	AWWA	0
53	C510	Double Check Valve Backflow Prevention Assembly	2017	AWWA	0
54	C511	Reduced-pressure Principle Backflow Prevention Assembly	2017	AWWA	0
55	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2017	AWWA	0
56	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2017	AWWA	0
57	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2017	AWWA	0
58	C231	NULL	2017	AWWA	0
59	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2017	AWWA	0
60	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2017	AWWA	0
61	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2017	AWWA	0
62	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2017	AWWA	0
63	B503	Sodium Tripolyphosphate	2017	AWWA	0
64	C111-A21.11	NULL	2017	AWWA	0
65	C151-A21.51	NULL	2017	AWWA	0
66	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2017	AWWA	0
67	C206	Field Welding of Steel Water Pipe	2017	AWWA	0
68	B511	Potassium Hydroxide	2017	AWWA	0
69	B550	Calcium Chloride	2017	AWWA	0
70	B601	Sodium Metabisulfite	2017	AWWA	0
71	B602	Copper Sulfate	2017	AWWA	0
72	20622	NULL	2017	AWWA	0
73	20831	NULL	2017	AWWA	0
74	B100	Granular Filter Material ANSI/AWWA B100-01	2016	AWWA	0
75	B101	Precoat Filter Media	2016	AWWA	0
76	B114	NULL	2016	AWWA	0
77	20691	NULL	2016	AWWA	0

78	M36	Water Audits and Loss Control Programs - Fourth Edition	2016	AWWA	0
79	M44	Distribution Valves: Selection, Installation, Field Testing, and Maintenance - Third Edition	2016	AWWA	0
80	M51	Air-Valves: Air-Release, Air/Vacuum and Combination - Second Edition	2016	AWWA	0
81	M53	Microfiltration and Ultrafiltration Membranes for Drinking Water - Second Edition	2016	AWWA	0
82	1940	NULL	2016	AWWA	0
83	1941	NULL	2016	AWWA	0
84	1942	NULL	2016	AWWA	0
85	1943	NULL	2016	AWWA	0
86	1944	NULL	2016	AWWA	0
87	C904	Cross-Linked Polyethylene (PEX) Pressure Tubing, ¹ In. (13 mm) Through 3 In. (76 mm), for Water Service	2016	AWWA	0
88	M17	Fire Hydrants: Installation, Field, Testing, and Maintenance - Fifth Edition	2016	AWWA	0
89	B507	NULL	2016	AWWA	0
90	B451	PolyDiallyldimethylammonium Chloride)	2016	AWWA	0
91	B302	Ammonium Sulfate	2016	AWWA	0
92	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2016	AWWA	0
93	B405	Sodium Aluminate	2016	AWWA	0
94	C104-A21.4	NULL	2016	AWWA	0
95	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2016	AWWA	0
96	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2016	AWWA	0
97	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2016	AWWA	0
98	B600	Powdered Activated Carbon	2016	AWWA	0
99	B603	Permanganates	2016	AWWA	0
100	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2016	AWWA	0
101	C302	Reinforced Concrete Pressure Pipe, Noneylinder Type	2016	AWWA	0
102	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2016	AWWA	0
103	C541	Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates	2016	AWWA	0
104	C542	Electric Motor Actuators for Valves and Slide Gates	2016	AWWA	0
105	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2016	AWWA	0
106	D107	Composite Elevated Tanks for Water Storage	2016	AWWA	0
107	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2016	AWWA	0
108	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2016	AWWA	0
109	C671	NULL	2016	AWWA	0
110	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2016	AWWA	0
111	C750	Transit-Time Flowmeters in Full Closed Conduits	2016	AWWA	0
112	C751	NULL	2016	AWWA	0
113	F110	Ultraviolet Disinfection Systems for Drinking Water	2016	AWWA	0
114	M4	Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995	2016	AWWA	0
115	M11	Steel Pipe - A Guide for Design and Installation Third Edition	2016	AWWA	0

116	M54	Developing Rates for Small Systems	2016	AWWA	0
117	C606	Grooved and Shouldered Joints	2015	AWWA	0
118	416	Sustainability assessment for water treatment chemical products	2015	AWWA	0
119	A100	Water Wells	2015	AWWA	0
120	C670	Online Chlorine Analyzer Operation and Maintenance	2015	AWWA	0
121	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2015	AWWA	0
122	C701	Cold-Water Meters Turbine Type, for Customer Service	2015	AWWA	0
123	C702	Cold-Water Meters Compound Type	2015	AWWA	0
124	C703	Cold-Water Meters - Fire Service Type	2015	AWWA	0
125	C704	Propeller-Type Meters for Waterworks Applications	2015	AWWA	0
126	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2015	AWWA	0
127	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2015	AWWA	0
128	C712	Cold-Water Meters - Singlejet Type First Edition	2015	AWWA	0
129	C713	Cold-Water Meters: Fluidic-Oscillator Type	2015	AWWA	0
130	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	2015	AWWA	0
131	G200	Distribution Systems Operation and Management	2015	AWWA	0
132	B102	Manganese Greensand for Filters	2015	AWWA	0
133	B112	NULL	2015	AWWA	0
134	B116	NULL	2015	AWWA	0
135	B305	Anhydrous Ammonia	2015	AWWA	0
136	B306	Aqua Ammonia (Liquid Ammonium Hydroxide)	2015	AWWA	0
137	B512	Sulfur Dioxide	2015	AWWA	0
138	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2015	AWWA	0
139	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2015	AWWA	0
140	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2015	AWWA	0
141	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2015	AWWA	0
142	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2015	AWWA	0
143	C504	Rubber-seated Butterfly Valves	2015	AWWA	0
144	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2015	AWWA	0
145	E103	Horizontal and Vertical Line-Shaft Pumps	2015	AWWA	0
146	M14	Backflow Prevention and Cross-Connection Control Recommended Practices - Fourth Edition	2015	AWWA	0
147	C509	Resilient-Seated Gate Valves for Water Supply Service	2015	AWWA	0
148	C515	Reduced-Wall, Resilient-Seated Gate Valves for Water Supply Service	2015	AWWA	0
149	M63	Aquifer Storage and Recovery - First Edition	2015	AWWA	0
150	M65	On-Site Generation of Hypochlorite - First Edition	2015	AWWA	0
151	M45	Fiberglass Pipe Design - Third Edition	2014	AWWA	0
152	C520	Knife Gate Valves, Sizes 2 In. (50 mm) Through 96 In. (2,400 mm)	2014	AWWA	0
153	C800	Underground Service Line Valves and Fittings	2014	AWWA	0
154	C225	Fused Polyolefin Coatings for Steel Water Pipe	2014	AWWA	0
155	M12	Simplified Procedures for Water Examination - Sixth Edition	2014	AWWA	0

156	M22	Sizing Water Service Lines and Meters - Third Edition	2014	AWWA	0
157	M27	External Corrosion Control for Infrastructure Sustainability - Third Edition	2014	AWWA	0
158	M29	Water Utility Capital Financing - Fourth Edition	2014	AWWA	0
159	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2014	AWWA	0
160	M45	Fiberglass Pipe Design	2014	AWWA	0
161	C304	Design of Prestressed Concrete Cylinder Pipe	2014	AWWA	0
162	G300	Source Water Protection	2014	AWWA	0
163	C651	Disinfecting Water Mains	2014	AWWA	0
164	M3	Safety Practices for Water Utilities Sixth Edition	2014	AWWA	0
165	M21	Groundwater	2014	AWWA	0
166	M28	Rehabilitation of Water Mains	2014	AWWA	0
167	B404	Liquid Sodium Silicate	2014	AWWA	0
168	B406	Ferric Sulfate	2014	AWWA	0
169	B452	EPI-DMA Polyamines	2014	AWWA	0
170	C150	Thickness Design of Ductile-Iron Pipe	2014	AWWA	0
171	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2014	AWWA	0
172	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2014	AWWA	0
173	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	2014	AWWA	0
174	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	2014	AWWA	0
175	C503	Wet-Barrel Fire Hydrants	2014	AWWA	0
176	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2014	AWWA	0
177	C561	Fabricated Stainless Steel Slide Gates	2014	AWWA	0
178	C562	Fabricated Aluminum Slide Gates	2014	AWWA	0
179	C563	Fabricated Composite Slide Gates	2014	AWWA	0
180	D102	Coating Steel Water-storage Tanks	2014	AWWA	0
181	D121	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage includes Amendment (2014)	2014	AWWA	0
182	G481	Reclaimed Water Program Operation and Management	2014	AWWA	0
183	G430	Security Practices for Operation and Management	2014	AWWA	0
184	G480	Water Conservation Program Operation and Management	2013	AWWA	0
185	G510	Standard for Wastewater Treatment Plant Operations and Management	2013	AWWA	0
186	J100	Risk Analysis and Management for Critical Asset Protection Risk and Resilience Management of Water and Wastewater Systems	2013	AWWA	0
187	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2013	AWWA	0
188	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2013	AWWA	0
189	C950	Fiberglass Pressure Pipe	2013	AWWA	0
190	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	2013	AWWA	0
191	C714	Cold-Water Meters for Residential Fire Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes	2013	AWWA	0
192	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	2013	AWWA	0
193	C653	Disinfection of Water Treatment Plants	2013	AWWA	0
194	C654	Disinfection of Wells Second Edition	2013	AWWA	0
195	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2013	AWWA	0

196	C550	Protective Interior Coatings for Valves and Hydrants	2013	AWWA	0
197	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2013	AWWA	0
198	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2013	AWWA	0
199	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2013	AWWA	0
200	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2013	AWWA	0
201	B605	Granular Activated Carbon	2013	AWWA	0
202	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2013	AWWA	0
203	B453	Polyacrylamide ANSI/AWWA 8453-01	2013	AWWA	0
204	B501	Sodium Hydroxide (Caustic Soda)	2013	AWWA	0
205	B506	Zinc Orthophosphate	2013	AWWA	0
206	B304	Liquid Oxygen	2013	AWWA	0
207	B130	Membrane Bioreactor Systems	2013	AWWA	0
208	B201	Soda Ash	2013	AWWA	0
209	B202	Quicklime and Hydrated Lime	2013	AWWA	0
210	M42	Steel Water-storage Tanks	2013	AWWA	0
211	M9 Errate	Concrete Pressure Pipe	2013	AWWA	0
212	M11	Steel Pipe - A Guide for Design and Installation	2013	AWWA	0
213	M56	Fundamentals and Control of Nitrification in Chloraminated Drinking Water Distribution Systems	2013	AWWA	0
214	J100	Risk and Resilience Management of Water and Wastewater Systems - First Edition	2013	AWWA	0
215	C950	Fiberglass Pressure Pipe	2013	AWWA	0
216	M1	Principles of Water Rates, Fees, and Charges	2012	AWWA	0
217	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis	2012	AWWA	0
218	M32	Distribution Network Analysis for Water Utilities	2012	AWWA	0
219	C111-A21.11	NULL	2012	AWWA	0
220	C200	Steel Water Pipe, 6 in. (150 mm) and Larger	2012	AWWA	0
221	STANDARD METHODS	NULL	2012	AWWA	0
222	B200	Sodium Chloride	2012	AWWA	0
223	B101	Precoat Filter Media	2012	AWWA	0
224	B402	Ferrous Sulfate	2012	AWWA	0
225	B407	Liquid Ferric Chloride	2012	AWWA	0
226	B505	Disodium Phosphate, Anhydrous	2012	AWWA	0
227	B510	Carbon Dioxide	2012	AWWA	0
228	B504	Monosodium Phosphate, Anhydrous	2012	AWWA	0
229	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2012	AWWA	0
230	B604	Granular Activated Carbon	2012	AWWA	0
231	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2012	AWWA	0
232	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2012	AWWA	0
233	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2012	AWWA	0
234	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2012	AWWA	0
235	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2012	AWWA	0
236	C530	Pilot Operated Control Valves	2012	AWWA	0

237	C701	Cold-Water Meters Turbine Type, for Customer Service	2012	AWWA	0
238	C704	Propeller-Type Meters for Waterworks Applications	2012	AWWA	0
239	C561	Fabricated Stainless Steel Slide Gates	2012	AWWA	0
240	C563	Fabricated Composite Slide Gates	2012	AWWA	0
241	C562	Fabricated Aluminum Slide Gates	2012	AWWA	0
242	C800	Underground Service Line Valves and Fittings	2012	AWWA	0
243	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2012	AWWA	0
244	F110	Ultraviolet Disinfection Systems for Drinking Water	2012	AWWA	0
245	D121	Bolted Aboveground Thermosetting Fiberglass-Reinforced Plastic Panel-Type Tanks for Water Storage	2012	AWWA	0
246	M6	Water Meters - Selection , Installation, Testing, and Maintenance	2012	AWWA	0
247	D130	Flexible-Membrane Materials for Potable Water Applications	2011	AWWA	0
248	G440	Emergency Preparedness Practices	2011	AWWA	0
249	G100	Water Treatment Plant Operation and Management	2011	AWWA	0
250	D100	Welded Steel Tanks for Water Storage	2011	AWWA	0
251	D102	Coating Steel Water-storage Tanks	2011	AWWA	0
252	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2011	AWWA	0
253	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2011	AWWA	0
254	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2011	AWWA	0
255	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2011	AWWA	0
256	C606	Grooved and Shouldered Joints	2011	AWWA	0
257	C703	Cold-Water Meters - Fire Service Type	2011	AWWA	0
258	C652	Disinfection of Water-storage Facilities	2011	AWWA	0
259	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2011	AWWA	0
260	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2011	AWWA	0
261	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2011	AWWA	0
262	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2011	AWWA	0
263	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connecctions, Fittings, and Special Sections	2011	AWWA	0
264	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2011	AWWA	0
265	C230	Stainless-Steel Full-Encirclement Repair and Service Connection Clamps	2011	AWWA	0
266	C206	Field Welding of Steel Water Pipe	2011	AWWA	0
267	C153	Ductile-Iron Compact Fittings	2011	AWWA	0
268	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	2011	AWWA	0
269	B701	Sodium Fluoride Seventh Edition	2011	AWWA	0
270	B702	Sodium Fluorosilicate	2011	AWWA	0
271	B703	Fluorosilicic Acid	2011	AWWA	0
272	B503	Sodium Tripolyphosphate	2011	AWWA	0
273	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2011	AWWA	0
274	B601	Sodium Metabisulfite	2011	AWWA	0
275	M58	Internal Corrosion Control in Water Distribution Systems	2011	AWWA	0
276	M60	Drought Preparedness and Response	2011	AWWA	0
277	M61	Desalination of Seawater	2011	AWWA	0

278	M37	Operational Control of Coagulation and Filtration Processes	2011	AWWA	0
279	C508	Swing-Check Valves for Waterworks Service, 2-In. Through 48-In. (50-mm Through 1,200-mm) NPS	2011	AWWA	0
280	M57	Algae-Source to Treatment	2010	AWWA	0
281	M47	Construction Contact Administration	2010	AWWA	0
282	C105-A21.5	NULL	2010	AWWA	0
283	B600	Powdered Activated Carbon	2010	AWWA	0
284	B550	Calcium Chloride	2010	AWWA	0
285	B603	Potassium Permanganate	2010	AWWA	0
286	B511	Potassium Hydroxide	2010	AWWA	0
287	B408	Liquid Polyaluminum Chloride	2010	AWWA	0
288	B451	Poly(Diallyldimethylammonium Chloride)	2010	AWWA	0
289	B302	Ammonium Sulfate	2010	AWWA	0
290	B303	Sodium Chlorite	2010	AWWA	0
291	B102	Manganese Greensand for Filters	2010	AWWA	0
292	B300	Hypochlorites	2010	AWWA	0
293	B301	Liquid Chlorine	2010	AWWA	0
294	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	2010	AWWA	0
295	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2010	AWWA	0
296	C504	Rubber-seated Butterfly Valves	2010	AWWA	0
297	C516	Large-Diameter Rubber-Sealed Butterfly Valves, 78 in (2000mm) and Larger	2010	AWWA	0
298	C702	Cold-Water Meters Compound Type	2010	AWWA	0
299	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	2010	AWWA	0
300	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2010	AWWA	0
301	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	2010	AWWA	0
302	C712	Cold-Water Meters - Singlejet Type First Edition	2010	AWWA	0
303	C750	Transit-Time Flowmeters in Full Closed Conduits	2010	AWWA	0
304	C713	Cold-Water Meters: Fluidic-Oscillator Type	2010	AWWA	0
305	C905	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution	2010	AWWA	0
306	D106	Standard for Sacrificial-Anode Cathodic Protection Systems for the Interior Submerged Surfaces of Steel Water Tanks	2010	AWWA	0
307	D107	Composite Elevated Tanks for Water Storage	2010	AWWA	0
308	D108	Aluminum Dome Roofs For Water Storage Facilities	2010	AWWA	0
309	D103	Factory-coated Bolted Steel Tanks for Water Storage	2009	AWWA	0
310	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2009	AWWA	0
311	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2009	AWWA	0
312	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2009	AWWA	0
313	G200	Distribution Systems Operation and Management	2009	AWWA	0
314	G400	Utility Management System	2009	AWWA	0
315	G410	Business Practices for Operation and Management	2009	AWWA	0
316	G420	Communications and Customer Relations	2009	AWWA	0
317	G430	Security Practices for Operation and Management	2009	AWWA	0

318	C655	Field Dechlorination	2009	AWWA	0
319	C670	Online Chlorine Analyzer Operation and Maintenance	2009	AWWA	0
320	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2009	AWWA	0
321	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2009	AWWA	0
322	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	2009	AWWA	0
323	C542	Electric Motor Actuators for Valves and Slide Gates	2009	AWWA	0
324	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2009	AWWA	0
325	C509	Resilient-seated Gate Valves for Water Supply Service	2009	AWWA	0
326	C500	Metal-seated Gate Valves for Water Supply Service	2009	AWWA	0
327	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2009	AWWA	0
328	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2009	AWWA	0
329	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	2009	AWWA	0
330	B110	Membrane Systems	2009	AWWA	0
331	B100	Granular Filter Material ANSI/AWWA B100-01	2009	AWWA	0
332	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2009	AWWA	0
333	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings	2009	AWWA	0
334	M36	Water Audits and Leak Detection	2009	AWWA	0
335	M41	Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003	2009	AWWA	0
336	M24	Dual Water Systems Second Edition	2009	AWWA	0
337	M9	Concrete Pressure Pipe	2008	AWWA	0
338	M29	Water Utility Capital Financing	2008	AWWA	0
339	M31	Distribution System Requirements for Fire Protection	2008	AWWA	0
340	B404	Liquid Sodium Silicate	2008	AWWA	0
341	B304	Liquid Oxygen	2008	AWWA	0
342	B201	Soda Ash	2008	AWWA	0
343	B501	Sodium Hydroxide (Caustic Soda)	2008	AWWA	0
344	B512	Sulfur Dioxide	2008	AWWA	0
345	B602	Copper Sulfate	2008	AWWA	0
346	C150	Thickness Design of Ductile-Iron Pipe	2008	AWWA	0
347	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2008	AWWA	0
348	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2008	AWWA	0
349	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2008	AWWA	0
350	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2008	AWWA	0
351	C228	Stainless-Steel Pipe Flanges for Water Service--Sizes 2 In. Through 72 In. (50 mm Through 1,800 mm)	2008	AWWA	0
352	C229	Fusion-Bonded Polyethylene Coating for Steel Water Pipe and Fittings	2008	AWWA	0
353	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	2008	AWWA	0
354	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2008	AWWA	0
355	C541	Hydraulic and Pneumatic Cylinder and Vane-Type Actuators for Valves and Slide Gates	2008	AWWA	0
356	C518	Dual-Disc Swing-Check Valves for Waterworks Service	2008	AWWA	0
357	C704	Propeller-Type Meters for Waterworks Applications	2008	AWWA	0

358	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2008	AWWA	0
359	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	2007	AWWA	0
360	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	2007	AWWA	0
361	C950	Fiberglass Pressure Pipe	2007	AWWA	0
362	G300	Source Water Protection	2007	AWWA	0
363	E103	Horizontal and Vertical Line-Shaft Pumps	2007	AWWA	0
364	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2007	AWWA	0
365	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2007	AWWA	0
366	C701	Cold-Water Meters Turbine Type, for Customer Service	2007	AWWA	0
367	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2007	AWWA	0
368	C620	Spray-Applied In-Place Epoxy Lining of Water Pipelines, 3 in. and Larger	2007	AWWA	0
369	C530	Pilot Operated Control Valves	2007	AWWA	0
370	C510	Double Check Valve Backflow Prevention Assembly	2007	AWWA	0
371	C511	Reduced-pressure Principle Backflow Prevention Assembly	2007	AWWA	0
372	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2007	AWWA	0
373	C304	Design of Prestressed Concrete Cylinder Pipe	2007	AWWA	0
374	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	2007	AWWA	0
375	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2007	AWWA	0
376	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	2007	AWWA	0
377	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2007	AWWA	0
378	C227	Bolted, Split-Sleeve Restrained and Nonrestrained Couplings for Plain-End Pipe	2007	AWWA	0
379	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition	2007	AWWA	0
380	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2007	AWWA	0
381	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2007	AWWA	0
382	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2007	AWWA	0
383	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2007	AWWA	0
384	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2007	AWWA	0
385	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2007	AWWA	0
386	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2007	AWWA	0
387	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2007	AWWA	0
388	B605	Granular Activated Carbon	2007	AWWA	0
389	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2007	AWWA	0
390	B202	Quicklime and Hydrated Lime	2007	AWWA	0
391	B200	Sodium Chloride	2007	AWWA	0
392	B306	Aqua Ammonia (Liquid Ammonium Hydroxide)	2007	AWWA	0
393	M46	Reverse Osmosis and Nanofiltration	2007	AWWA	0
394	M50	Water Resources Planning	2007	AWWA	0
395	M52	Water Conservation Programs--A Planning Manual	2006	AWWA	0
396	M44	Distribution Valves: Selection, Installation, Field Testing , and Maintenance	2006	AWWA	0

397	M33	Flowmeters in Water Supply	2006	AWWA	0
398	M17	Installation, Field Testing, and Maintenance of Fire Hydrants	2006	AWWA	0
399	M20	Water Chlorination Principles and Practices	2006	AWWA	0
400	M48	Waterborne Pathogens	2006	AWWA	0
401	M55	PE Pipe--Design and Installation	2006	AWWA	0
402	E102	Submersible Vertical Turbine Pumps	2006	AWWA	0
403	B305	Anhydrous Ammonia	2006	AWWA	0
404	B402	Ferrous Sulfate	2006	AWWA	0
405	B405	Sodium Aluminate	2006	AWWA	0
406	B406	Ferric Sulfate	2006	AWWA	0
407	A100	Water Wells	2006	AWWA	0
408	B510	Carbon Dioxide	2006	AWWA	0
409	B506	Zinc Orthophosphate	2006	AWWA	0
410	B453	Polyacrylamide ANSI/AWWA 8453-01	2006	AWWA	0
411	B452	EPI-DMA Polyamines	2006	AWWA	0
412	C153	Ductile-Iron Compact Fittings	2006	AWWA	0
413	B701	Sodium Fluoride Seventh Edition	2006	AWWA	0
414	B703	Fluorosilicic Acid	2006	AWWA	0
415	B702	Sodium Fluorosilicate	2006	AWWA	0
416	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2006	AWWA	0
417	C226	Stainless Steel Fittings for Waterworks Service, Sizes 1/2 In. Through 72 In. (15 mm Through 1800 mm)	2006	AWWA	0
418	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2006	AWWA	0
419	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2006	AWWA	0
420	C504	Rubber-seated Butterfly Valves	2006	AWWA	0
421	C606	Grooved and Shouldered Joints	2006	AWWA	0
422	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2006	AWWA	0
423	C604	Installation of Steel Water Pipe--4 In. (100 mm) and Larger	2006	AWWA	0
424	E102	Submersible Vertical Turbine Pumps	2006	AWWA	0
425	D102	Coating Steel Water-storage Tanks	2006	AWWA	0
426	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	2006	AWWA	0
427	C904	Cross-Linked Polyethylene (PEX) Pressure Pipe, 1/2 In. (12mm) Through 3 In. (76 mm), for Water Service	2006	AWWA	0
428	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2005	AWWA	0
429	C800	Underground Service Line Valves and Fittings	2005	AWWA	0
430	C708	Cold-Water Meters Multijet Type Addendum C708A-98	2005	AWWA	0
431	C713	Cold-Water Meters: Fluidic-Oscillator Type	2005	AWWA	0
432	D100	Welded Steel Tanks for Water Storage	2005	AWWA	0
433	G100	Water Treatment Plant Operation and Management	2005	AWWA	0
434	C651	Disinfecting Water Mains	2005	AWWA	0
435	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	2005	AWWA	0
436	C550	Protective Interior Coatings for Valves and Hydrants	2005	AWWA	0

437	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	2005	AWWA	0
438	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	2005	AWWA	0
439	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	2005	AWWA	0
440	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	2005	AWWA	0
441	C503	Wet-Barrel Fire Hydrants	2005	AWWA	0
442	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	2005	AWWA	0
443	C513	Open-channel, Fabricated-Metal Slide Gates First Edition	2005	AWWA	0
444	C517	Resilient-Seated Cast-Iron Eccentric Plug Valves	2005	AWWA	0
445	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	2005	AWWA	0
446	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	2005	AWWA	0
447	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	2005	AWWA	0
448	C115/A21.15	Flanged Ductile-Iron Pipe with Ductile-Iron or Gray-Iron Threaded Flanges	2005	AWWA	0
449	B407	Liquid Ferric Chloride	2005	AWWA	0
450	B503	Sodium Tripolyphosphate	2005	AWWA	0
451	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2005	AWWA	0
452	B504	Monosodium Phosphate, Anhydrous	2005	AWWA	0
453	B505	Disodium Phosphate, Anhydrous	2005	AWWA	0
454	B511	Potassium Hydroxide	2005	AWWA	0
455	B601	Sodium Metabisulfite	2005	AWWA	0
456	B604	Granular Activated Carbon	2005	AWWA	0
457	B550	Calcium Chloride	2005	AWWA	0
458	B600	Powdered Activated Carbon	2005	AWWA	0
459	B304	Liquid Oxygen	2005	AWWA	0
460	B303	Sodium Chlorite	2005	AWWA	0
461	B302	Ammonium Sulfate	2005	AWWA	0
462	M5	Water Utility Management	2005	AWWA	0
463	M45	Fiberglass Pipe Design	2005	AWWA	0
464	M53	Microfiltration and Ultrafiltration Membranes for Drinking Water	2005	AWWA	0
465	M54	Developing Rates for Small Systems	2004	AWWA	0
466	M22	Sizing Water Service Line and Meters	2004	AWWA	0
467	M27	External Corrosion - Introduction to Chemistry and Control	2004	AWWA	0
468	M7	Problem Organisms in Water : Identification and Treatment	2004	AWWA	0
469	M4	Water Fluoridation Principles and Practices	2004	AWWA	0
470	M14	Recommended Practice for Backflow Prevention and Cross- Connection Control	2004	AWWA	0
471	B102	Manganese Greensand for Filters	2004	AWWA	0
472	B300	Hypochlorites	2004	AWWA	0
473	B301	Liquid Chlorine	2004	AWWA	0
474	B451	PolyDiallyldimethylammonium Chloride)	2004	AWWA	0
475	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	2004	AWWA	0
476	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	2004	AWWA	0
477	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	2004	AWWA	0

478	C512	Air Release,Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	2004	AWWA	0
479	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	2004	AWWA	0
480	C703	Cold-Water Meters - Fire Service Type	2004	AWWA	0
481	C561	Fabricated Stainless Steel Slide Gates	2004	AWWA	0
482	C563	Fabricated Composite Slide Gates	2004	AWWA	0
483	C606	Grooved and Shouldered Joints	2004	AWWA	0
484	G200	Distribution Systems Operation and Management	2004	AWWA	0
485	M11	Steel Pipe - A Guide for Design and Installation Third Edition	2004	AWWA	0
486	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2004	AWWA	0
487	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	2004	AWWA	0
488	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	2004	AWWA	0
489	C750	Transit-Time Flowmeters in Full Closed Conduits	2003	AWWA	0
490	D102	Coating Steel Water-storage Tanks	2003	AWWA	0
491	M21	Groundwater Third Edition	2003	AWWA	0
492	M41	Ductile-Iron Pipe and Fittings Second Edition; Erratum : 01/2003	2003	AWWA	0
493	C653	Disinfection of Water Treatment Plants	2003	AWWA	0
494	C654	Disinfection of Wells Second Edition	2003	AWWA	0
495	C400	Asbestos-cement Pressure Pipe, 4 in . Through 16 in (100 mm Through 400 mm), for Water Distribution Systems	2003	AWWA	0
496	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	2003	AWWA	0
497	C225	Fused Polyolefin Coating systems for the Exterior of Steel Water Pipelines First Edition	2003	AWWA	0
498	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	2003	AWWA	0
499	C206	Field Welding of Steel Water Pipe	2003	AWWA	0
500	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	2003	AWWA	0
501	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	2003	AWWA	0
502	B408	Liquid Polyaluminum Chloride	2003	AWWA	0
503	B501	Sodium Hydroxide (Caustic Soda)	2003	AWWA	0
504	B603	Potassium Permanganate	2003	AWWA	0
505	B201	Soda Ash	2003	AWWA	0
506	B200	Sodium Chloride	2003	AWWA	0
507	B403	Aluminum Sulfate - Liquid, Ground, or Lump	2003	AWWA	0
508	B404	Liquid Sodium Silicate	2003	AWWA	0
509	B202	Quicklime and Hydrated Lime	2002	AWWA	0
510	B602	Copper Sulfate	2002	AWWA	0
511	B512	Sulfur Dioxide	2002	AWWA	0
512	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	2002	AWWA	0
513	C150	Thickness Design of Ductile-Iron Pipe	2002	AWWA	0
514	C150/A21.50	Thickness Design of Ductile-Iron Pipe Erratum: 02/2003	2002	AWWA	0
515	C151/A21.51	Ductile-Iron Pipe, Centrifugally Cast, for Water Erratum	2002	AWWA	0
516	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	2002	AWWA	0
517	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connecctions, Fittings, and Special Sections	2002	AWWA	0

518	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	2002	AWWA	0
519	C223	Fabricated Steel and Stainless Steel Tapping Sleeves	2002	AWWA	0
520	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	2002	AWWA	0
521	C500	Metal-seated Gate Valves for Water Supply Service	2002	AWWA	0
522	C540	Power-Actuating Devices for Valves and Slide Gates	2002	AWWA	0
523	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	2002	AWWA	0
524	C701	Cold-Water Meters Turbine Type, for Customer Service	2002	AWWA	0
525	C704	Propeller-Type Meters for Waterworks Applications	2002	AWWA	0
526	C652	Disinfection of Water-storage Facilities	2002	AWWA	0
527	M23	PVC Pipe - Design and Installation Second Edition	2002	AWWA	0
528	M3	Safety Practices for Water Utilities Sixth Edition	2002	AWWA	0
529	M12	Simplified Procedures for Water Examination Fifth Edition	2002	AWWA	0
530	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	2002	AWWA	0
531	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	2002	AWWA	0
532	D130	Flexible-Membrane Materials for Potable Water Applications	2002	AWWA	0
533	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	2002	AWWA	0
534	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	2002	AWWA	0
535	C710	Cold-Water Meters Displacement Type, Plastic Main Case	2002	AWWA	0
536	C712	Cold-Water Meters - Singlejet Type First Edition	2002	AWWA	0
537	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	2002	AWWA	0
538	C903	Polyethylene-Aluminum-polyethylene & Crosslinked Polyethylene-Aluminum-crosslinked Polyethylene Composite Pressure Pipes, 1/2 in. (12 mm) Through 2 in. (50 mm), for Water Service First Edition	2002	AWWA	0
539	C800	Underground Service Line Valves and Fittings	2001	AWWA	0
540	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	2001	AWWA	0
541	C950	Fiberglass Pressure Pipe	2001	AWWA	0
542	C908	PVC Self-Tapping Saddle Tees for Use on PVC Pipe	2001	AWWA	0
543	M2	Instrumentation and Control Third Edition; Erratum: 03/2002	2001	AWWA	0
544	M19	Emergency Planning for Water Utility Management Fourth Edition	2001	AWWA	0
545	M28	Rehabilitation of Water Mains	2001	AWWA	0
546	C702	Cold-Water Meters Compound Type	2001	AWWA	0
547	C550	Protective Interior Coatings for Valves and Hydrants	2001	AWWA	0
548	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	2001	AWWA	0
549	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	2001	AWWA	0
550	C509	Resilient-seated Gate Valves for Water Supply Service	2001	AWWA	0
551	C224	Two-Layer Nylon-II-Based Polyamide Coating System for the Interior and Exterior of Steel Water Pipe, Connections, Fittings, and Special Sections	2001	AWWA	0
552	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	2001	AWWA	0
553	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	2001	AWWA	0
554	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	2001	AWWA	0
555	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	2001	AWWA	0
556	C208	Dimensions for Fabricated Steel Water Pipe Fittings	2001	AWWA	0

557	B453	Polyacrylamide ANSI/AWWA 8453-01	2001	AWWA	0
558	B505	Disodium Phosphate, Anhydrous	2001	AWWA	0
559	B504	Monosodium Phosphate, Anhydrous	2001	AWWA	0
560	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	2001	AWWA	0
561	B503	Sodium Tripolyphosphate	2001	AWWA	0
562	B101	Precoat Filter Media	2001	AWWA	0
563	B100	Granular Filter Material ANSI/AWWA B100-01	2001	AWWA	0
564	M49	Butterfly Valves: Torque, Head Loss, and Cavitation Analysis First Edition	2001	AWWA	0
565	M50	Water Resources Planning	2001	AWWA	0
566	M51	Air-Release, Air/vacuum, & Combination Air Valves	2001	AWWA	0
567	B405	Sodium Aluminate	2000	AWWA	0
568	B302	Ammonium Sulfate	2000	AWWA	0
569	B303	Sodium Chlorite	2000	AWWA	0
570	B402	Ferrous Sulfate	2000	AWWA	0
571	B550	Calcium Chloride	2000	AWWA	0
572	B511	Potassium Hydroxide	2000	AWWA	0
573	B510	Carbon Dioxide	2000	AWWA	0
574	B601	Sodium Metabisulfite	2000	AWWA	0
575	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2000	AWWA	0
576	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	2000	AWWA	0
577	C216	Heat-shrinkable Cross-Linked Polyolefin Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	2000	AWWA	0
578	C153	Ductile-Iron Compact Fittings	2000	AWWA	0
579	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	2000	AWWA	0
580	C153/A21.53	Ductile-Iron Compact Fittings, for Water Service	2000	AWWA	0
581	B703	Fluorosilicic Acid	2000	AWWA	0
582	C111/A21.11	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2000	AWWA	0
583	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	2000	AWWA	0
584	C560	Cast-Iron Slide Gates Supersedes AWWA C501-927 Errata December 2002	2000	AWWA	0
585	C402	Asbestos-cement Transmission Pipe, 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2000	AWWA	0
586	C403	Selection of Asbestos-cement Transmission Pipe, Sizes 18 in. Through 42 in. (450 mm Through 1,050 mm), for Water Supply Service	2000	AWWA	0
587	C504	Rubber-seated Butterfly Valves	2000	AWWA	0
588	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	2000	AWWA	0
589	M25	Flexible-Membrane Covers and Linings for Potable-Water Reservoirs Third Edition	2000	AWWA	0
590	M37	Operational Control of Coagulation and Filtration Processes Second Edition	2000	AWWA	0
591	M1	Principles of Water Rates, Fees, and Charges Fifth Edition	2000	AWWA	0
592	M6	Water Meters - Selection, Installation, Testing, and Maintenance Fourth Edition	1999	AWWA	0
593	M36	Water Audits and Leak Detection Second Edition	1999	AWWA	0
594	M34	Water Rate Structures and Pricing Second Edition	1999	AWWA	0
595	C906	Polyethylene (PE) Pressure Pipe and Fittings, 4 in. (100 mm) Through 63 in. (1,575 mm), for Water Distribution and Transmission	1999	AWWA	0

596	C600	Installation of Ductile-Iron Water Mains and Their Appurtenances	1999	AWWA	0
597	C651	Disinfecting Water Mains	1999	AWWA	0
598	C507	Ball Valves, 6 in. Through 48 in. (150mm Through 1200 mm) Fourth Edition	1999	AWWA	0
599	C304	Design of Prestressed Concrete Cylinder Pipe	1999	AWWA	0
600	C301	Prestressed Concrete Pressure Pipe, Steel-cylinder Type Erratum - January 2000	1999	AWWA	0
601	C515	Reduced-Wall, Resilient-seated Gate Valves for Water Supply Service Second Edition	1999	AWWA	0
602	C512	Air Release, Air/ Vacuum, and Combination Air Valves for Waterworks Service Second Edition	1999	AWWA	0
603	C115	Flanged Ductile-Iron Pipe with Threaded Flanges	1999	AWWA	0
604	C105/A21.5	Polyethylene Encasement for Ductile-Iron Pipe Systems	1999	AWWA	0
605	C105	Polyethylene Encasement for Ductile-Iron Pipe Systems	1999	AWWA	0
606	B702	Sodium Fluorosilicate	1999	AWWA	0
607	B605	Granular Activated Carbon	1999	AWWA	0
608	B701	Sodium Fluoride Seventh Edition	1999	AWWA	0
609	C115/A21.15	Flanged Ductile-Iron Pipe with Threaded Flanges	1999	AWWA	0
610	C215	Extruded Polyolefin Coatings for the Exterior of Steel Water Pipelines	1999	AWWA	0
611	C217	Cold-Applied Petrolatum Tape and Petroleum Wax Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Buried or Submerged Steel Water Pipelines Third Edition	1999	AWWA	0
612	C218	Coating the Exterior of Aboveground Steel Water Pipelines and Fittings Third Edition	1999	AWWA	0
613	C222	Polyurethane Coatings for the Interior and Exterior of Steel Water Pipe and Fittings First Edition	1999	AWWA	0
614	B301	Liquid Chlorine	1999	AWWA	0
615	B300	Hypochlorites	1999	AWWA	0
616	M46	Reverse Osmosis and Nanofiltration First Edition	1999	AWWA	0
617	M48	Waterborne Pathogens	1999	AWWA	0
618	B201	Soda Ash	1998	AWWA	0
619	B200	Sodium Chloride	1998	AWWA	0
620	B403	Aluminum Sulfate - Liquid, Ground, or Lump	1998	AWWA	0
621	B408	Liquid Polyaluminum Chloride	1998	AWWA	0
622	B407	Liquid Ferric Chloride	1998	AWWA	0
623	B404	Liquid Sodium Silicate	1998	AWWA	0
624	B603	Potassium Permanganate	1998	AWWA	0
625	B501	Sodium Hydroxide (Caustic Soda)	1998	AWWA	0
626	B451	PolyDiallyldimethylammonium Chloride)	1998	AWWA	0
627	B452	EPI-DMA Polyamines	1998	AWWA	0
628	C220	Stainless-steel Pipe, 4 in.(100 mm) and Larger Addendum C220a-99	1998	AWWA	0
629	C116	Protective Fusion-Bonded Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service	1998	AWWA	0
630	C116/A21.16	Protective Fusion-Bonded Epoxy Coatings for the Interior and Exterior Surfaces of Ductile-Iron and Gray-Iron Fittings for Water Supply Service First Edition	1998	AWWA	0
631	C110	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water	1998	AWWA	0
632	C110/A21.10	Ductile-Iron and Gray-Iron Fittings, 3 in. Through 48 in (76 mm Through 1219 mm), for Water Erratum: October 1999	1998	AWWA	0
633	C909	Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe, 4 in. Through 12 in. (100 mm Through 600 mm), for Water Distribution	1998	AWWA	0

634	M31	Distribution System Requirements for Fire Protection Third Edition	1998	AWWA	0
635	M29	Water Utility Capital Financing Second Edition	1998	AWWA	0
636	M42	Steel Water-storage Tanks First Edition	1998	AWWA	0
637	D103	Factory-coated Bolted Steel Tanks for Water Storage	1997	AWWA	0
638	D102	Coating Steel Water-storage Tanks	1997	AWWA	0
639	D104	Automatically Controlled, Impressed-current Cathodic Protection for the Interior of Steel Water Tanks	1997	AWWA	0
640	C905	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 Inches Through 48 Inches (350mm Through 1,200mm), for Water Transmission and Distribution	1997	AWWA	0
641	C900	Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 in. Through 12 in.(100 mm Through 300 mm), for Water Distribution	1997	AWWA	0
642	C513	Open-channel, Fabricated-Metal Slide Gates First Edition	1997	AWWA	0
643	C511	Reduced-pressure Principle Backflow Prevention Assembly	1997	AWWA	0
644	C510	Double Check Valve Backflow Prevention Assembly	1997	AWWA	0
645	C503	Wet-Barrel Fire Hydrants	1997	AWWA	0
646	C606	Grooved and Shouldered Joints	1997	AWWA	0
647	C653	Disinfection of Water Treatment Plants	1997	AWWA	0
648	C654	Disinfection of Wells Second Edition	1997	AWWA	0
649	C200	Steel Water Pipe - 6 in. (150 mm) and Larger	1997	AWWA	0
650	C203	Coal-Tar Protective Coatings and Linings for Steel Water Pipelines - Enamel and Tape - Hot Applied	1997	AWWA	0
651	C206	Field Welding of Steel Water Pipe	1997	AWWA	0
652	C221	Fabricated Steel Mechanical Slip-Type Expansion Joints	1997	AWWA	0
653	C300	Reinforced Concrete Pressure Pipe, Steel-cylinder Type	1997	AWWA	0
654	C219	Bolted, Sleeve-Type Couplings for Plain-End Pipe	1997	AWWA	0
655	C210	Liquid-Epoxy Coating Systems for the Interior and Exterior of Steel Water Pipelines	1997	AWWA	0
656	B512	Sulfur Dioxide	1997	AWWA	0
657	B406	Ferric Sulfate	1997	AWWA	0
658	A100	Water Wells	1997	AWWA	0
659	B100	Granular Filter Material ANSI/AWWA B100-01	1996	AWWA	0
660	B550	Calcium Chloride	1996	AWWA	0
661	B511	Potassium Hydroxide	1996	AWWA	0
662	B604	Granular Activated Carbon	1996	AWWA	0
663	B600	Powdered Activated Carbon	1996	AWWA	0
664	B453	Polyacrylamide ANSI/AWWA 8453-01	1996	AWWA	0
665	C213	Fusion-Bonded Epoxy Coating for the Interior and Exterior of Steel Water Pipelines	1996	AWWA	0
666	C208	Dimensions for Fabricated Steel Water Pipe Fittings	1996	AWWA	0
667	C150	Thickness Design of Ductile-Iron Pipe	1996	AWWA	0
668	C151	Ductile-Iron Pipe, Centrifugally Cast, for Water	1996	AWWA	0
669	C703	Cold-Water Meters - Fire Service Type	1996	AWWA	0
670	C706	Direct-Reading, Remote-Registration Systems for Cold-Water Meters R(2001)	1996	AWWA	0
671	C603	Installation of Asbestos-cement Pressure Pipe R(2000)	1996	AWWA	0
672	C901	Polyethylene (PE) Pressure Pipe and Tubing, 1/2 IN. (13 mm) Through 3 in. (76 mm), for Water Service	1996	AWWA	0
673	C708	Cold-Water Meters Multijet Type Addendum C708A-98	1996	AWWA	0

674	D100	Welded Steel Tanks for Water Storage	1996	AWWA	0
675	M44	Distribution Valves: Selection, Installation, Field Testing , and Maintenance First Edition	1996	AWWA	0
676	M45	Fiberglass Pipe Design First Edition	1996	AWWA	0
677	M26	Water Rates and Related Charges Second Edition	1996	AWWA	0
678	D130	Flexible-Membrane Materials for Potable Water Applications	1996	AWWA	0
679	F101	Contact-Molded, Fiberglass-Reinforced Plastic Wash Water Troughs and Launderers	1996	AWWA	0
680	F102	Matched-Die-Molded, Fiberglass-Reinforced Plastic Weir Plates, Scum Baffles, and Mounting Brackets	1996	AWWA	0
681	M47	Construction Contact Administration First Edition	1996	AWWA	0
682	M30	Precoat Filtration Second Edition	1995	AWWA	0
683	M38	Electrodialysis and Electrodialysis Reversal First Edition	1995	AWWA	0
684	M4	Water Fluoridation Principles and Practices Fourth Edition ; Erratum - August 1995	1995	AWWA	0
685	M7	Problem Organisms in Water : Identification and Treatment Second Edition	1995	AWWA	0
686	M9	Concrete Pressure Pipe Second Edition	1995	AWWA	0
687	C950	Fiberglass Pressure Pipe	1995	AWWA	0
688	D110	Wire- and Strand-Wound, Circular-prestressed Concrete Water Tanks Addendum A - June 1996; Erratum - January 2001	1995	AWWA	0
689	D115	Circular Prestressed Concrete Water Tanks with Circumferential Tendons First Edition	1995	AWWA	0
690	C710	Cold-Water Meters Displacement Type, Plastic Main Case	1995	AWWA	0
691	C602	Cement-Mortar Lining of Water Pipelines in Place 4 IN (100 mm) and Larger	1995	AWWA	0
692	C700	Cold-Water Meters - Displacement Type, Bronze Main Case	1995	AWWA	0
693	C302	Reinforced Concrete Pressure Pipe, Noncylinder Type	1995	AWWA	0
694	C303	Concrete Pressure Pipe, Bar-Wrapped, Steel-cylinder Type	1995	AWWA	0
695	C205	Cement-Mortar Protective Lining and Coating for Steel Water Pipe - 4 in. (100 mm) and Larger - Shop Applied	1995	AWWA	0
696	C111	Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings	1995	AWWA	0
697	C104/A21.4	Cement-Mortar Lining for Ductile-Iron Pipe and Fittings for Water	1995	AWWA	0
698	C104	Cement Mortar Lining for Ductile Iron Pipe and Fittings for Water	1995	AWWA	0
699	C209	Cold-Applied Tape Coatings for the Exterior of Special Sections, Connections, and Fittings for Steel Water Pipelines	1995	AWWA	0
700	C214	Tape Coating Systems for the Exterior of Steel Water Pipelines	1995	AWWA	0
701	B505	Disodium Phosphate, Anhydrous	1995	AWWA	0
702	B510	Carbon Dioxide	1995	AWWA	0
703	B302	Ammonium Sulfate	1995	AWWA	0
704	B402	Ferrous Sulfate	1995	AWWA	0
705	B303	Sodium Chlorite	1995	AWWA	0
706	B405	Sodium Aluminate	1994	AWWA	0
707	B101	Precoat Filter Media	1994	AWWA	0
708	B504	Monosodium Phosphate, Anhydrous	1994	AWWA	0
709	B503	Sodium Tripolyphosphate	1994	AWWA	0
710	B502	Sodium Polyphosphate, Glassy (Sodium Hexametaphosphate)	1994	AWWA	0
711	B703	Fluosilicic Acid	1994	AWWA	0
712	C207	Steel Pipe Flanges for Waterworks Service Sizes 4 in Through 144 in. (100 mm Through 3,600 mm)	1994	AWWA	0
713	C153	Ductile-Iron Compact Fittings	1994	AWWA	0
714	C504	Rubber-seated Butterfly Valves	1994	AWWA	0

715	C502	Dry-Barrel Fire Hydrants Incorporates Addendum C502A -95	1994	AWWA	0
716	C509	Resilient-seated Gate Valves for Water Supply Service	1994	AWWA	0
717	C605	Underground Installation of Polyvinyl Chloride (PVC) Pressure Pipe and Fittings for Water First Edition	1994	AWWA	0
718	M24	Dual Water Systems Second Edition	1994	AWWA	0
719	C540	Power-Actuating Devices for Valves and Slide Gates	1993	AWWA	0
720	C508	Swing-check Valves for Waterworks Service, 2-in . Through 24-in. (50-mm Through 600-mm) NPS	1993	AWWA	0
721	C401	Selection of Asbestos-cement Pressure Pipe, 4 in . Through 16 in.(100 mm Through 400 mm), for Water Distribution Systems	1993	AWWA	0
722	C500	Metal-seated Gate Valves for Water Supply Service	1993	AWWA	0
723	B200	Sodium Chloride	1993	AWWA	0
724	B202	Quicklime and Hydrated Lime	1993	AWWA	0
725	C501	Cast Iron Slide Gates	1992	AWWA	0
726	C652	Disinfection of Water-storage Facilities	1992	AWWA	0
727	C702	Cold-Water Meters Compound Type	1992	AWWA	0
728	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	1992	AWWA	0
729	C704	Propeller-Type Meters for Waterworks Applications	1992	AWWA	0
730	C907	Polyvinyl Chloride (PVC) Pressure Fittings for Water - 4 in. Through 8 in. (100 mm Through 200 mm) First Edition	1991	AWWA	0
731	B602	Copper Sulfate	1991	AWWA	0
732	M14	Recommended Practice for Backflow Prevention and Cross- Connection Control Second Edition	1990	AWWA	0
733	M35	Revenue Requirements First Edition	1990	AWWA	0
734	C550	Protective Interior Coatings for Valves and Hydrants	1990	AWWA	0
735	M32	Distribution Network Analysis for Water Utilities First Edition	1989	AWWA	0
736	M33	Flowmeters in Water Supply First Edition	1989	AWWA	0
737	M17	Installation, Field Testing, and Maintenance of Fire Hydrants Third Edition	1989	AWWA	0
738	M11	Steel Pipe - A Guide for Design and Installation Third Edition	1989	AWWA	0
739	C800	Underground Service Line Valves and Fittings	1989	AWWA	0
740	C701	Cold-Water Meters Turbine Type, for Customer Service	1988	AWWA	0
741	M27	External Corrosion - Introduction to Chemistry and Control	1987	AWWA	0
742	D120	Thermosetting Fiberglass-Reinforced Plastic Tanks	1984	AWWA	0
743	C707	Encoder-Type Remote-Registration Systems for Cold-Water Meters R(1992)	1982	AWWA	0
744	M5	Water Utility Management	1980	AWWA	0
745	M22	Sizing Water Service Line and Meters	1975	AWWA	0
746	M20	Water Chlorination Principles and Practices	1973	AWWA	0
747	M5	Water Utility Management	0	AWWA	0

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737