

Standards Manager Web Standards List
GIS-Gas Industry Standards

Id	Number	Title	Year	Organization	Page
1	DAT12	Specification for ALUMINIUM BASED LIGHT METALS AND PAINTS IN POTENTIALLY HAZARDOUS AREAS	2019	GIS	0
2	DAT6	Specification for STANDARD SIZES OF CARBON AND CARBON MANGANESE STEEL PIPE FOR OPERATING PRESSURES GREATER THAN 7 BAR	2019	GIS	0
3	E13.1	Specification for Gas filters (80 mm nominal size and above) suitable for use in the pressure range above 75 mbar and not exceeding 7 bar	2019	GIS	0
4	PL2-9	Specification for Polyethylene pipes and fittings for natural gas and suitable manufactured gas	2019	GIS	0
5	V6	Specification for STEEL VALVES FOR USE WITH NATURAL GAS AT NORMAL OPERATING PRESSURES ABOVE 7 BAR AND SIZES ABOVE DN15 (SUPPLEMENTARY TO EN13942:2009)	2019	GIS	0
6	V8	Specification for VALVES (25 mm NOMINAL SIZE AND BELOW) FOR INSTRUMENTATION AND CONTROL PURPOSES	2019	GIS	0
7	VA1	Specification for Fluid Powered Actuators for Two Position (Open/Closed) Quarter Turn Valves	2019	GIS	0
8	VA2	Specification for Electric Powered Actuators for Two Position (Open/Closed) Quarter Turn Valves	2019	GIS	0
9	V9-1	Specification for the performance requirements for slamshut valves for governor installations with inlet pressures in the range greater than 75 mbar to not greater than 7 bar Part 1 - Spring operated diaphragm type slamshut valves	2018	GIS	0
10	V12	Specification for Sealant replacement for valves operating up to and including 2 bar	2018	GIS	0
11	V4	Specification for service isolation valves up to 50 mm diameter for use up to 2 bar maximum working pressures	2018	GIS	0
12	V7-2	Specification for Distribution valves Part 2: Plastics bodied valves of sizes up to and including 180 mm suitable for operation at pressures not exceeding 5.5 bar	2018	GIS	0
13	PL4-1	Specification for elastomeric diaphragms. Part 1 - Homogeneous diaphragms	2018	GIS	0
14	EFV1	Specification for Flow limiters for polyethylene services operating at pressures above 75 mbar and not exceeding 2.0 bar and for gas flows not exceeding 6 m ³ h ⁻¹	2018	GIS	0
15	EL8	Specification for the manufacture of gasholder modular antifreeze units	2018	GIS	0
16	F2	Specification for Main sealing plugs and service connection fittings for use at pressures not greater than 2 bar	2018	GIS	0
17	E58	Specification for Gland seals for insertion of polyethylene pipe into low pressure metallic gas mains	2018	GIS	0
18	E59	Specification for Foam plug flow stop devices for LP and MP gas mains and services	2018	GIS	0
19	F16	Specification for In-pipe close fit lined pipe service fittings	2018	GIS	0
20	F17	Specification for In-pipe close fit lined mains connection fittings	2018	GIS	0
21	GQ7	Specification for Equipment for odour intensity monitoring	2018	GIS	0
22	L2	Specification for Steel pipe 21.3 mm to 1219 mm outside diameter for operating pressures up to 7 bar (supplementary to BS EN ISO 3183 PSL 2)	2018	GIS	0
23	LC1	Specification for Leak Repair and annular sealants for metallic gas mains and services up to 7 bar	2018	GIS	0
24	LC8-4	Specification for Methods of repairing leaking ferrous gas mains Part 4: Pipe repair clamps, split collars and under pressure branch connections	2018	GIS	0
25	PL2-5	Specification for polyethylene pipes and fittings for natural gas and suitable manufactured gas. Part 5 - Electrofusion ancillary tooling	2018	GIS	0
26	PL2-6	Specification for Polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 6: Spigot end fittings for electrofusion and/or butt fusion purposes	2018	GIS	0
27	PL2-7	Specification for Polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 7: Squeeze-off tools and equipment	2018	GIS	0
28	SER6	Specification for Live riser transfer technique	2018	GIS	0

29	TE-D1.2	Specification for Non-tap mains sealing plugs for use in access holes from 2 in to 6 in diameter and for use up to 2 bar MOP	2018	GIS	0
30	TE-D1.3	Specification for Holesaws and holesaw taps for use on gas pipes with operating pressures not greater than 2 bar	2018	GIS	0
31	TE-E1.7	Specification for Tooling for the removal of caps and plugs from live low pressure services	2018	GIS	0
32	TE-E1.8	Specification for Access tool for live entry into a low pressure polyethylene service	2018	GIS	0
33	TE-E1.9	Specification for Live mains abandonment equipment for low pressure mains	2018	GIS	0
34	TE-P6.1	Specification for Bypass equipment with integral pressure monitoring points for MP PE mains	2018	GIS	0
35	E17-2	Specification for Insulation joints Part 2: Joints operating at pressures not greater than 7 bar	2018	GIS	0
36	E19	Specification for Primary iris stop bags	2018	GIS	0
37	E20	Specification for secondary iris stop bags	2018	GIS	0
38	E22	Specification for Vehicle-mounted leakage survey equipment _ Minimum performance and maintenance requirements for equipment used for winter and trigger surveys	2018	GIS	0
39	E5	Specification for Pipe cutting wheels for hand-operated wheeled pipe cutters	2018	GIS	0
40	E6	Specification for vaporizers and foggers for joint sealing on gas mains	2018	GIS	0
41	E48	Specification for Polyethylene service line tracing equipment	2018	GIS	0
42	E1	Specification for Combined drilling, tapping and service fitting insertion machines for use up to 2 bar	2018	GIS	0
43	C5	Specification for Distribution pipe fittings cast in grey cast iron for use up to 7 bar maximum operating pressure	2018	GIS	0
44	C6	Specification for Distribution pipe fittings cast in ductile iron for use up to 7 bar maximum operating pressures	2018	GIS	0
45	C8	Specification for Distribution split tee and collar pipe fittings cast in grey or ductile iron for use up to 7 bar maximum operating pressures	2018	GIS	0
46	E4	Specification for inflatable, self-centring bag stoppers for use on distribution mains up to and including 300mm/12 in. nominal size	2017	GIS	0
47	ECE1	Specification for electrofusion control boxes	2017	GIS	0
48	V7-3	Specification for Distribution Valves. Part3 - Brass bodied manually operated ball and taper plug valves not exceeding 5 bar maximum operating pressures	2017	GIS	0
49	PRS35	Specification for GRP Housings for Gas Regulator Installations and Associated Operation Equipment	2016	GIS	0
50	14525	Specification for Flanged Adaptors and Mechanical Couplings from DN50 to DN600 and up to 2 bar Maximum Operating Pressure	2016	GIS	0
51	PL2-2	Specification for polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 2 - Pipes for use at pressures up to 5.5 bar	2016	GIS	0
52	PL2-3	Specification for polyethylene pipes and fittings for natural gas and suitable manufactured gas - Part 3 - Butt fusion tooling and ancillary equipment	2015	GIS	0
53	F10	Specification for ancillary fittings used for the live insertion of gas mains operating at pressures equal to or less than 75 mbar	2015	GIS	0
54	F11	Specification for the manufacture of grouted tee connections for metallic mains operating at pressures up to 7 bar	2015	GIS	0
55	F12	Specification for Grouted Tee Connections For Metallic Mains Operating At Pressures up to 7 Bar	2015	GIS	0
56	E8	Specification for Searcher bars	2015	GIS	0
57	E34	Specification For The Procurement Of Pressure Regulating Modules With Inlet Pressures Above 75 Mbar But Not Exceeding 7 Bar For Regulators With Design Flow Rates Greater Than 6 m3/hr	2015	GIS	0
58	E49	Specification for polyethylene coil trailers	2014	GIS	0
59	PL2-4	Specification for polyethylene pipes and fittings for natural gas and suitable manufactured gas. Part 4 - Fusion fittings with integral heating element(s)	2014	GIS	0
60	PL2-1	Specification for Polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 1: General and polyethylene compounds for use in polyethylene pipes and fittings	2014	GIS	0

61	PL2-8	Specification for polyethylene pipes and fittings for natural gas and suitable manufactured gas Part 8 - Pipes for use at pressures up to 7 bar	2014	GIS	0
62	PL3	Specification for Self Anchoring Mechanical Fittings for Polyethylene Pipe for Natural Gas and Suitable Manufactured Gas	2014	GIS	0
63	V7-1	Specification for Distribution Valves Part 1 - Metal-bodied line valves for use at pressures up to 16 bar and construction valves for use at pressures up to 7 bar	2013	GIS	0
64	TE-P6.3	Specification for Equipment used in testing gas mains and gas services with operating pressures not greater than 7 bar	2013	GIS	0
65	LC9	Specification for methods of repairing joints on screwed pipework	2013	GIS	0
66	LC12	Specification For External Sealant Injection Systems For Joint Repair On Ferrous Distribution Mains Systems Operating At Pressures Equal To Or Less Than 2 Bar	2013	GIS	0
67	LC8-1	Specification for methods of repairing leaking ferrous gas mains. Part 1 - External systems (excluding joint and pipe clamps)	2013	GIS	0
68	F13	Specification for Ductile Iron and Fabricated steel cap ends for use up to 2bar MOP	2012	GIS	0
69	PL2-6	NULL	2009	GIS	0
70	LC14	NULL	2009	GIS	0
71	PL2-1	NULL	2008	GIS	0
72	PL2-2	NULL	2008	GIS	0
73	E49	NULL	2008	GIS	0
74	ECE1	NULL	2008	GIS	0
75	PL2-4	NULL	2008	GIS	0
76	PL2-8	NULL	2008	GIS	0
77	V7-3	NULL	2008	GIS	0
78	TE-P6.3	NULL	2007	GIS	0
79	V4	NULL	2007	GIS	0
80	V7-1	NULL	2007	GIS	0
81	E34	NULL	2007	GIS	0
82	F11	NULL	2007	GIS	0
83	F12	NULL	2007	GIS	0
84	F13	NULL	2007	GIS	0
85	F16	NULL	2006	GIS	0
86	F17	NULL	2006	GIS	0
87	GQ7	NULL	2006	GIS	0
88	L2	NULL	2006	GIS	0
89	LC8-1	NULL	2006	GIS	0
90	LC8-3	NULL	2006	GIS	0
91	LC8-4	NULL	2006	GIS	0
92	LC9	NULL	2006	GIS	0
93	LC12	NULL	2006	GIS	0
94	E48	NULL	2006	GIS	0
95	E58	NULL	2006	GIS	0
96	E59	NULL	2006	GIS	0
97	PL2-3	NULL	2006	GIS	0
98	LC25	NULL	2006	GIS	0

99	EFV1	NULL	2006	GIS	0
100	EL19	NULL	2006	GIS	0
101	F2	NULL	2006	GIS	0
102	F7	NULL	2006	GIS	0
103	F9-1	NULL	2006	GIS	0
104	F9-2	NULL	2006	GIS	0
105	F10	NULL	2006	GIS	0
106	C5	NULL	2006	GIS	0
107	C6	NULL	2006	GIS	0
108	C8	NULL	2006	GIS	0
109	E1	NULL	2006	GIS	0
110	E4	NULL	2006	GIS	0
111	E5	NULL	2006	GIS	0
112	E6	NULL	2006	GIS	0
113	E8	NULL	2006	GIS	0
114	E13-1	NULL	2006	GIS	0
115	E17-2	NULL	2006	GIS	0
116	E19	NULL	2006	GIS	0
117	E20	NULL	2006	GIS	0
118	E22	NULL	2006	GIS	0
119	V7-2	NULL	2006	GIS	0
120	PL2-5	NULL	2006	GIS	0
121	PL2-7	NULL	2006	GIS	0
122	PL3	NULL	2006	GIS	0
123	PL4-1	NULL	2006	GIS	0
124	SER6	NULL	2006	GIS	0
125	TE-D1.2	NULL	2006	GIS	0
126	TE-D1.3	NULL	2006	GIS	0
127	TE-E1.7	NULL	2006	GIS	0
128	TE-E1.8	NULL	2006	GIS	0
129	TE-E1.9	NULL	2006	GIS	0
130	TE-P6.1	NULL	2006	GIS	0
131	V9-1	NULL	2006	GIS	0
132	V12	NULL	2006	GIS	0
133	F9-1	Specification for Metric and Imperial Carbon and Stainless Steel Single Ferrule Compression Fittings for Tubes. Part 1 - General Requirements	2006	GIS	0
134	LC83	Specification for Methods of repairing leaking ferrous gas mains Part 3: Internal sealing methods	2006	GIS	0

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737

